

# XP600

Cutting-edge Dual Printheads DTF Printing Solution with White Ink

Suitable for clothing, hats and shoes with a variety of fabricsEquipped with self-developed YiPS printing system + YilioS cloud management system



#### Specification

	XP600 DTF Printer	XP600Pro DTF Printer
Printer size	100*45*40CM	78*34*34CM
Printer weight	70KG	35KG
Vacuum platform	Yes	Yes
Drying System	No	Yes
White Ink Circulation+Stir	rring Yes	Yes
Off-tracking Guide	No	Yes
Paper Feeding botton	Yes	Yes
Mother board	Hosonsoft	Hanyan
Settings	Software Settings	Physical ( Easy-going)
<b>Printing Operation</b>	Maintop/Hasonsoft	Maintop
Options	6-color (CMYKclm)	4/6-color (CMYK/CMYKclm)
Speed	(6PASS) 2.5m²/Hours (8PASS) 1.5m²/Hours	(4PASS) 6m²/Hours (6PASS) 4m²/Hours (8PASS) 2m²/Hours
Printheads	Two EPSON XP600	Two EPSON XP600
Printable Width (up to)	30CM	33CM
Electronics	60W	60W/150W(With Drying)
Input Electronics	AC110V/220V	AC110V/220V
Cover Options	Acrylic Cover (Tan、Navy Blue、Translucent)	Cover (White、Black) Acrylic Cover (Tan、Navy Blue, Teanslucent)
Vacuum	Diaphragm Pump	peristaltic pump
Delivery	in Stock	Order per Request

#### **Optimized Features**

- 1. New added front heating device, optimize the paper platform, effectively improve the sticky powder and the paper scraping issue caused by paper platform angles.
- 2. Improve the jetting stability, using a silent stiring pump, stable and silent output.
- 3. New standby automatic cleaning function, reduce nozzle clogging issue.
- 4. Optimize paper inlet and outlet running position without off tracking, fixed printing film position, distortion within 1mm after 10 linear meters of printing.
- 5. Optimize the volume and weight. The new body weight is only less than half of the old model, saving transportation costs.
- 6. Installation of independent white ink circulation system which will work when machine power off
- 7. Improve the stability of the steping to reduce dark-light banding.
- 8. Easy and simple white color ink registration, less maintenance.
- 9. Ink stack independent development, end customer does not need to adjust, and a simple operation is enough.

# **Equwera Transfer Technologies Limited**

Office: Room 508, No.22, Lane 1, Xiangyun East, Longgui Xu, Taihe Town, Baiyun District, Guangzhou, Guangdong, China.

Mobile: +86 18664620866 E-mail: cancy228@163.com

Warehouse: D 136, Hongseng International Logistic centre,

G106 East Road, Junhe Street, Xinke Town, Baiyun District, Guangzhou, PR China.





Vacuum Platform

Standalone Rolling Wheel

Dataset	
Printhead	XP600
PH Numbers	2
Printing Speed	(4PASS) 6m²/Hours (6PASS) 4m²/Hours (8PASS) 2m²/Hours
RIP Software	Maintop
Mother Board	Hanyan
Operation System	WIN7 or Up
Electronics	400W
Printer Size	780*340*340
Printer Weight	35KG
Media size	Up to 33CM
Shaker Size	800*600*570
Shaker Weight	45KG
Dry temperature	110°C
Printer Packing Size	845*420*455
Shaker Packing Size	980*680*680
Printer Package Weight	42KG
Shaker Package Weight	60KG

Movable Window Front Drying Unit

#### Scheme



**∢**denim



**⋖**T-shirt



**⋖** pillows



shoes >



**⋖** sweatshirts




▲ hats

canvas bags

#### Scheme














### Process





## Nozzle




#### Micro feathering

New feathering technology control ink drop so as to compensate paper feeding error and other defect.



#### Support for greyscale

Epson's unique Variable Sized Droplet Technology (VSDT) delivers smooth gradation with sharp detail by freely control to eject the droplet volume.



#### 1200 dpi


1200 dpi highest resolution with excellent picture and graphic art output.



#### Versatile color configuration

up to 8 ink channels, more ink and color possibilities

# Color



#### Color tunning wizard

Easy-going and clear color tunning software, matching color with calibrated screen.



#### Color library matching

Color library matching and color swatch book.



#### Color calibration wizard



#### Virtual simulation

Simulate your design color pattern on virtual design software